


Figure 1



SW

Long Section of the Todos Santos Main Vein - looking Northwest -

NE

1600 RL

1500 RL

1400 RL

1300 RL

1200 RL

C10-59
2.0m @ 297 g/t AgEq

C11-168
2.0m @ 876 g/t AgEq

C11-180
2.0m @ 662 g/t AgEq

C09-3
6.0m @ 524 g/t AgEq

C20-347
5.6m @ 312 g/t AgEq

C11-159
2.0m @ 323 g/t AgEq

C20-342
1.4m @ 1,907 g/t AgEq

C11-176
2.0m @ 451 g/t AgEq

C20-349
3.4m @ 1,150 g/t AgEq

C20-351
1.5m @ 137 g/t AgEq

C20-352
1.3m @ 475 g/t AgEq

C20-344
1.9m @ 2,007 g/t AgEq

C11-175
2.0m @ 927 g/t AgEq

C20-354
1.5m @ 609 g/t AgEq



C11-186
4.0m @ 203 g/t AgEq



C11-189
2.0m @ 460 g/t AgEq



- Drillhole Pierce Point**
- Assays current release
 - Assays previously released
 - Pre Discovery Metals assays

AgEq calculations are based on USD \$16.50/oz Ag, \$1,350.oz Au, \$0.85/lb Pb, \$1.00/lb Zn, and assume 100% metallurgical recovery.
Widths are drilled widths, not true widths, as a full interpretation of the actual orientation of mineralization is not complete.









Drill hole locations of Cordero holes C20-349, C20-351, C20-352 & C20-354

Hole ID	Easting	Northing	Elevation (m)	Azimuth (deg)	Dip (deg)	Depth (m)
C20-349	443,267	3,015,326	1,600	135	-60	301
C20-351	443,334	3,015,403	1,601	135	-60	320
C20-352	443,492	3,015,604	1,605	135	-60	372
C20-354	443,162	3,015,426	1,621	135	-60	500

Highlighted Assay Results For Pre Discovery Metal Drill Holes

**Metal Prices used for AgEQ calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C09-3	80.00	86.00	6.00	179	0.25	3.50	4.85	524
C10-59	22.00	24.00	2.00	3	0.02	0.02	7.04	297
C11-159	106.00	108.00	2.00	101	0.08	1.90	3.57	323
C11-168	64.00	66.00	2.00	233	0.16	6.23	9.88	876
C11-168	202.00	204.00	2.00	92	0.05	0.46	0.39	128
C11-175	226.00	228.00	2.00	308	0.19	6.59	8.95	927
C11-176	144.00	146.00	2.00	185	0.19	3.64	2.94	451
C11-180	72.00	74.00	2.00	38	0.32	0.53	13.95	662
C11-186	216.00	220.00	4.00	45	0.08	1.07	2.75	203
C11-189	332.00	334.00	2.00	138	0.06	4.36	3.94	460

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-349	0.00	1.20	1.20	1	0.00	0.00	0.00	1
C20-349	1.20	2.40	1.20	1	0.00	0.00	0.03	2
C20-349	2.40	4.20	1.80	0	0.00	0.00	0.00	1
C20-349	4.20	6.00	1.80	0	0.00	0.00	0.00	1
C20-349	6.00	7.80	1.80	0	0.00	0.00	0.01	1
C20-349	7.80	9.60	1.80	0	0.00	0.00	0.01	1
C20-349	9.60	11.50	1.90	0	0.00	0.00	0.01	1
C20-349	11.50	13.30	1.80	0	0.00	0.00	0.01	1
C20-349	13.30	15.10	1.80	0	0.00	0.00	0.01	1
C20-349	15.10	16.90	1.80	0	0.00	0.00	0.01	1
C20-349	16.90	18.80	1.90	1	0.00	0.01	0.02	2
C20-349	18.80	20.60	1.80	2	0.01	0.02	0.06	6
C20-349	20.60	22.50	1.90	1	0.02	0.01	0.03	4
C20-349	22.50	24.30	1.80	1	0.02	0.01	0.03	4
C20-349	24.30	26.20	1.90	1	0.02	0.01	0.04	4
C20-349	26.20	28.00	1.80	1	0.01	0.01	0.04	5
C20-349	28.00	29.90	1.90	1	0.01	0.01	0.04	4
C20-349	29.90	31.70	1.80	2	0.00	0.02	0.05	4
C20-349	31.70	33.60	1.90	1	0.00	0.01	0.04	3
C20-349	33.60	35.40	1.80	1	0.00	0.01	0.05	4
C20-349	35.40	37.30	1.90	1	0.00	0.01	0.03	3
C20-349	37.30	38.20	0.90	1	0.00	0.01	0.02	2
C20-349	38.20	40.00	1.80	1	0.01	0.01	0.03	3
C20-349	40.00	41.80	1.80	1	0.01	0.02	0.04	4
C20-349	41.80	43.60	1.80	2	0.02	0.02	0.04	6
C20-349	43.60	45.50	1.90	1	0.00	0.02	0.03	4
C20-349	45.50	46.00	0.50	3	0.00	0.01	0.04	5
C20-349	46.00	47.40	1.40	2	0.00	0.02	0.04	4
C20-349	47.40	48.80	1.40	1	0.01	0.01	0.02	3
C20-349	48.80	50.20	1.40	2	0.00	0.01	0.03	4
C20-349	50.20	51.60	1.40	1	0.00	0.00	0.02	2
C20-349	51.60	53.05	1.45	2	0.00	0.01	0.06	5
C20-349	53.05	54.50	1.45	2	0.02	0.01	0.04	5
C20-349	54.50	55.90	1.40	1	0.00	0.01	0.03	3
C20-349	55.90	57.40	1.50	1	0.00	0.01	0.02	3
C20-349	57.40	59.35	1.95	3	0.00	0.01	0.03	4
C20-349	59.35	61.00	1.65	1	0.00	0.01	0.03	3
C20-349	61.00	63.00	2.00	1	0.00	0.01	0.05	3
C20-349	63.00	65.00	2.00	0	0.00	0.00	0.03	2
C20-349	65.00	67.00	2.00	1	0.00	0.01	0.02	2
C20-349	67.00	69.00	2.00	0	0.00	0.00	0.02	1
C20-349	69.00	71.00	2.00	0	0.00	0.00	0.02	1
C20-349	71.00	73.00	2.00	0	0.00	0.00	0.02	2
C20-349	73.00	75.00	2.00	0	0.00	0.00	0.02	1
C20-349	75.00	77.00	2.00	0	0.00	0.00	0.00	1
C20-349	77.00	79.00	2.00	1	0.01	0.02	0.02	3
C20-349	79.00	81.00	2.00	4	0.01	0.08	0.04	9
C20-349	81.00	83.00	2.00	1	0.00	0.01	0.03	2
C20-349	83.00	85.00	2.00	1	0.00	0.02	0.03	3
C20-349	85.00	87.00	2.00	1	0.00	0.01	0.02	2
C20-349	87.00	89.00	2.00	1	0.00	0.01	0.05	4
C20-349	89.00	91.00	2.00	2	0.00	0.01	0.03	4
C20-349	91.00	93.00	2.00	2	0.00	0.01	0.03	3
C20-349	93.00	94.50	1.50	2	0.00	0.01	0.06	5

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-349	94.50	95.60	1.10	2	0.00	0.02	0.09	6
C20-349	95.60	97.30	1.70	2	0.00	0.02	0.06	5
C20-349	97.30	99.10	1.80	0	0.00	0.00	0.01	1
C20-349	99.10	100.80	1.70	0	0.00	0.00	0.01	1
C20-349	100.80	102.65	1.85	1	0.00	0.01	0.03	2
C20-349	102.65	103.30	0.65	1	0.02	0.01	0.03	5
C20-349	103.30	105.10	1.80	1	0.03	0.00	0.01	3
C20-349	105.10	106.90	1.80	2	0.02	0.03	0.07	7
C20-349	106.90	108.70	1.80	2	0.00	0.01	0.01	3
C20-349	108.70	110.50	1.80	2	0.01	0.00	0.01	3
C20-349	110.50	112.30	1.80	1	0.00	0.01	0.01	2
C20-349	112.30	114.20	1.90	2	0.00	0.02	0.02	4
C20-349	114.20	114.60	0.40	2	0.02	0.01	0.06	6
C20-349	114.60	116.40	1.80	3	0.01	0.02	0.16	12
C20-349	116.40	118.30	1.90	6	0.02	0.01	0.40	25
C20-349	118.30	120.20	1.90	4	0.01	0.01	0.16	11
C20-349	120.20	122.00	1.80	8	0.01	0.03	0.25	21
C20-349	122.00	123.90	1.90	6	0.00	0.08	0.12	14
C20-349	123.90	125.80	1.90	13	0.02	0.08	0.27	28
C20-349	125.80	127.10	1.30	8	0.04	0.14	0.33	30
C20-349	127.10	128.40	1.30	9	0.03	0.06	0.21	22
C20-349	128.40	129.70	1.30	17	0.03	0.20	0.82	60
C20-349	129.70	131.10	1.40	4	0.03	0.01	0.14	12
C20-349	131.10	132.40	1.30	13	0.05	0.17	0.28	35
C20-349	132.40	133.85	1.45	19	0.06	0.25	0.58	57
C20-349	133.85	135.40	1.55	23	0.05	0.20	0.97	74
C20-349	135.40	135.90	0.50	44	0.10	0.16	3.06	185
C20-349	135.90	137.20	1.30	38	0.05	0.67	1.33	121
C20-349	137.20	137.70	0.50	64	0.20	1.03	3.45	259
C20-349	137.70	138.45	0.75	51	0.08	0.90	1.95	170
C20-349	138.45	138.75	0.30	231	0.11	4.50	4.52	586
C20-349	138.75	139.55	0.80	14	0.06	0.24	0.87	63
C20-349	139.55	140.00	0.45	13	0.04	0.23	0.45	42
C20-349	140.00	140.60	0.60	15	0.16	0.09	1.90	110
C20-349	140.60	141.10	0.50	10	0.09	0.13	0.60	46
C20-349	141.10	141.70	0.60	91	0.20	1.23	4.18	324
C20-349	141.70	143.00	1.30	32	0.12	0.52	1.65	129
C20-349	143.00	143.75	0.75	43	0.11	0.75	2.37	177
C20-349	143.75	145.55	1.80	43	0.08	0.83	1.20	128
C20-349	145.55	147.20	1.65	269	0.50	5.30	12.10	998
C20-349	147.20	149.00	1.80	560	0.34	10.45	8.02	1,289
C20-349	149.00	150.00	1.00	93	0.18	1.90	2.01	258
C20-349	150.00	150.55	0.55	199	0.24	3.27	17.70	1,068
C20-349	150.55	150.90	0.35	48	0.14	0.73	3.05	212
C20-349	150.90	152.20	1.30	26	0.31	0.37	4.67	258
C20-349	152.20	153.35	1.15	26	0.04	0.48	0.59	71
C20-349	153.35	155.00	1.65	2	0.01	0.03	0.08	7
C20-349	155.00	156.70	1.70	1	0.01	0.00	0.01	2
C20-349	156.70	158.40	1.70	1	0.01	0.00	0.01	2
C20-349	158.40	160.10	1.70	2	0.00	0.03	0.16	10
C20-349	160.10	161.80	1.70	3	0.00	0.02	0.06	6
C20-349	161.80	163.60	1.80	10	0.01	0.10	0.06	16
C20-349	163.60	165.00	1.40	202	0.31	2.23	0.26	317
C20-349	165.00	166.15	1.15	95	0.13	1.18	0.54	169
C20-349	166.15	167.70	1.55	46	0.02	0.93	0.60	105

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-349	167.70	169.30	1.60	4	0.00	0.11	0.22	17
C20-349	169.30	169.60	0.30	2	0.00	0.02	0.05	5
C20-349	169.60	171.50	1.90	1	0.00	0.00	0.01	2
C20-349	171.50	173.40	1.90	1	0.00	0.02	0.03	3
C20-349	173.40	175.30	1.90	1	0.00	0.02	0.07	5
C20-349	175.30	177.20	1.90	1	0.00	0.01	0.01	2
C20-349	177.20	179.10	1.90	1	0.00	0.01	0.02	2
C20-349	179.10	181.10	2.00	1	0.00	0.01	0.04	3
C20-349	181.10	181.40	0.30	1	0.00	0.01	0.05	4
C20-349	181.40	183.30	1.90	2	0.00	0.01	0.03	4
C20-349	183.30	185.30	2.00	3	0.00	0.02	0.12	8
C20-349	185.30	187.30	2.00	1	0.01	0.01	0.06	5
C20-349	187.30	189.30	2.00	1	0.00	0.01	0.02	2
C20-349	189.30	191.20	1.90	1	0.00	0.00	0.01	1
C20-349	191.20	193.20	2.00	1	0.00	0.00	0.05	3
C20-349	193.20	195.20	2.00	1	0.00	0.01	0.05	4
C20-349	195.20	197.20	2.00	2	0.00	0.02	0.17	10
C20-349	197.20	199.20	2.00	1	0.00	0.01	0.05	4
C20-349	199.20	201.10	1.90	3	0.00	0.02	0.09	7
C20-349	201.10	203.10	2.00	1	0.01	0.02	0.09	6
C20-349	203.10	205.10	2.00	1	0.00	0.01	0.08	5
C20-349	205.10	207.10	2.00	1	0.00	0.00	0.07	4
C20-349	207.10	209.10	2.00	1	0.00	0.00	0.03	3
C20-349	209.10	211.10	2.00	2	0.00	0.01	0.08	6
C20-349	211.10	213.10	2.00	3	0.00	0.03	0.07	7
C20-349	213.10	215.05	1.95	2	0.00	0.01	0.28	15
C20-349	215.05	215.45	0.40	5	0.01	0.04	0.77	39
C20-349	215.45	217.40	1.95	3	0.01	0.02	0.09	9
C20-349	217.40	219.20	1.80	4	0.01	0.01	0.19	13
C20-349	219.20	219.50	0.30	3	0.01	0.01	0.19	11
C20-349	219.50	220.80	1.30	5	0.02	0.08	0.31	22
C20-349	220.80	222.50	1.70	4	0.02	0.04	0.29	20
C20-349	222.50	223.30	0.80	13	0.01	0.17	0.51	41
C20-349	223.30	224.90	1.60	6	0.01	0.10	0.61	36
C20-349	224.90	226.50	1.60	3	0.00	0.02	0.40	20
C20-349	226.50	228.10	1.60	6	0.01	0.04	1.81	83
C20-349	228.10	229.80	1.70	4	0.01	0.02	0.64	31
C20-349	229.80	231.45	1.65	8	0.02	0.06	0.86	47
C20-349	231.45	231.85	0.40	6	0.00	0.08	0.91	47
C20-349	231.85	232.70	0.85	31	0.03	0.32	2.79	160
C20-349	232.70	233.40	0.70	13	0.01	0.16	1.33	74
C20-349	233.40	234.35	0.95	12	0.01	0.14	1.17	66
C20-349	234.35	236.00	1.65	2	0.01	0.02	0.10	7
C20-349	236.00	238.00	2.00	1	0.00	0.01	0.07	5
C20-349	238.00	240.00	2.00	5	0.01	0.12	0.07	13
C20-349	240.00	242.00	2.00	5	0.01	0.07	0.21	17
C20-349	242.00	244.00	2.00	1	0.00	0.01	0.04	4
C20-349	244.00	246.00	2.00	2	0.00	0.03	0.08	6
C20-349	246.00	247.10	1.10	2	0.00	0.04	0.04	5
C20-349	247.10	248.40	1.30	6	0.00	0.12	0.64	38
C20-349	248.40	249.70	1.30	7	0.00	0.11	1.00	53
C20-349	249.70	251.20	1.50	3	0.01	0.06	0.11	11
C20-349	251.20	252.70	1.50	3	0.01	0.03	0.04	6
C20-349	252.70	254.25	1.55	3	0.01	0.03	0.04	6
C20-349	254.25	254.65	0.40	21	0.01	0.52	3.07	167

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-349	254.65	256.40	1.75	9	0.01	0.23	0.92	56
C20-349	256.40	258.00	1.60	4	0.01	0.13	0.22	19
C20-349	258.00	258.40	0.40	7	0.00	0.13	1.28	65
C20-349	258.40	258.70	0.30	4	0.01	0.12	0.40	25
C20-349	258.70	260.20	1.50	36	0.05	0.72	0.88	101
C20-349	260.20	261.80	1.60	15	0.01	0.25	1.14	71
C20-349	261.80	263.30	1.50	30	0.02	0.53	1.06	94
C20-349	263.30	264.95	1.65	58	0.06	1.21	1.20	155
C20-349	264.95	265.35	0.40	5	0.00	0.10	0.99	50
C20-349	265.35	265.80	0.45	13	0.00	0.16	1.10	64
C20-349	265.80	266.85	1.05	8	0.02	0.09	0.37	28
C20-349	266.85	268.40	1.55	11	0.02	0.12	0.48	37
C20-349	268.40	270.00	1.60	25	0.06	0.31	0.40	57
C20-349	270.00	271.70	1.70	23	0.05	0.37	0.54	63
C20-349	271.70	272.00	0.30	15	0.06	0.21	0.17	34
C20-349	272.00	272.70	0.70	480	1.31	7.84	1.95	944
C20-349	272.70	273.30	0.60	63	0.08	1.11	1.84	185
C20-349	273.30	274.80	1.50	41	0.07	0.74	1.08	118
C20-349	274.80	276.35	1.55	17	0.03	0.32	0.53	52
C20-349	276.35	278.00	1.65	1	0.00	0.01	0.06	4
C20-349	278.00	279.70	1.70	0	0.00	0.01	0.03	2
C20-349	279.70	281.50	1.80	1	0.01	0.02	0.12	7
C20-349	281.50	283.00	1.50	11	0.04	0.09	0.16	24
C20-349	283.00	284.60	1.60	19	0.04	0.21	0.24	39
C20-349	284.60	286.10	1.50	59	0.08	0.75	0.53	114
C20-349	286.10	287.75	1.65	20	0.05	0.31	0.42	52
C20-349	287.75	289.50	1.75	7	0.01	0.14	0.21	21
C20-349	289.50	291.25	1.75	16	0.02	0.32	0.32	41
C20-349	291.25	293.00	1.75	1	0.00	0.02	0.04	3
C20-349	293.00	294.75	1.75	1	0.00	0.02	0.03	3
C20-349	294.75	295.20	0.45	10	0.02	0.24	0.40	37
C20-349	295.20	296.90	1.70	1	0.01	0.02	0.03	3
C20-349	296.90	298.70	1.80	1	0.00	0.02	0.04	3
C20-349	298.70	300.55	1.85	0	0.00	0.01	0.02	2
C20-351	0.00	1.00	1.00	0	0.01	0.00	0.00	1
C20-351	1.00	2.10	1.10	0	0.00	0.00	0.01	1
C20-351	2.10	2.80	0.70	1	0.00	0.00	0.01	1
C20-351	2.80	4.70	1.90	0	0.00	0.00	0.01	1
C20-351	4.70	6.60	1.90	0	0.00	0.00	0.02	1
C20-351	6.60	8.50	1.90	0	0.00	0.00	0.02	1
C20-351	8.50	10.40	1.90	0	0.00	0.00	0.02	1
C20-351	10.40	12.30	1.90	0	0.00	0.00	0.03	2
C20-351	12.30	14.20	1.90	0	0.00	0.00	0.03	2
C20-351	14.20	16.10	1.90	0	0.00	0.00	0.01	1
C20-351	16.10	18.00	1.90	0	0.00	0.00	0.02	1
C20-351	18.00	20.00	2.00	0	0.00	0.00	0.00	0
C20-351	20.00	20.70	0.70	0	0.04	0.00	0.01	4
C20-351	20.70	22.70	2.00	0	0.00	0.00	0.01	1
C20-351	22.70	24.00	1.30	0	0.00	0.00	0.00	1
C20-351	24.00	26.00	2.00	0	0.00	0.00	0.01	1
C20-351	26.00	28.00	2.00	0	0.00	0.01	0.02	2
C20-351	28.00	30.00	2.00	0	0.00	0.01	0.01	1
C20-351	30.00	32.00	2.00	0	0.00	0.01	0.01	1
C20-351	32.00	34.00	2.00	1	0.00	0.01	0.01	1

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-351	34.00	36.00	2.00	1	0.00	0.02	0.02	2
C20-351	36.00	38.00	2.00	0	0.00	0.00	0.00	1
C20-351	38.00	40.00	2.00	0	0.00	0.00	0.00	1
C20-351	40.00	42.00	2.00	0	0.00	0.00	0.00	1
C20-351	42.00	44.00	2.00	0	0.00	0.00	0.00	1
C20-351	44.00	46.00	2.00	0	0.00	0.00	0.01	1
C20-351	46.00	48.00	2.00	0	0.00	0.00	0.00	1
C20-351	48.00	50.00	2.00	1	0.01	0.00	0.02	2
C20-351	50.00	52.00	2.00	0	0.01	0.00	0.00	2
C20-351	52.00	54.00	2.00	0	0.00	0.00	0.00	1
C20-351	54.00	56.00	2.00	0	0.00	0.00	0.00	1
C20-351	56.00	58.00	2.00	0	0.00	0.00	0.00	1
C20-351	58.00	60.00	2.00	0	0.00	0.00	0.00	1
C20-351	60.00	62.00	2.00	0	0.00	0.00	0.00	1
C20-351	62.00	64.00	2.00	1	0.00	0.01	0.01	1
C20-351	64.00	66.00	2.00	1	0.00	0.01	0.02	3
C20-351	66.00	68.00	2.00	1	0.00	0.01	0.01	2
C20-351	68.00	70.00	2.00	1	0.00	0.02	0.04	4
C20-351	70.00	72.00	2.00	2	0.00	0.03	0.07	6
C20-351	72.00	74.00	2.00	1	0.00	0.01	0.06	5
C20-351	74.00	75.20	1.20	1	0.00	0.01	0.02	2
C20-351	75.20	76.60	1.40	2	0.00	0.02	0.05	5
C20-351	76.60	77.80	1.20	1	0.00	0.01	0.03	3
C20-351	77.80	79.15	1.35	1	0.00	0.01	0.06	4
C20-351	79.15	79.60	0.45	1	0.00	0.01	0.06	4
C20-351	79.60	81.60	2.00	1	0.00	0.00	0.16	8
C20-351	81.60	83.35	1.75	1	0.00	0.00	0.03	3
C20-351	83.35	85.00	1.65	1	0.00	0.00	0.04	2
C20-351	85.00	86.80	1.80	1	0.00	0.00	0.11	6
C20-351	86.80	88.50	1.70	1	0.00	0.00	0.07	4
C20-351	88.50	90.20	1.70	1	0.00	0.01	0.02	2
C20-351	90.20	91.40	1.20	2	0.00	0.03	0.06	6
C20-351	91.40	91.70	0.30	20	0.08	0.19	0.67	61
C20-351	91.70	93.50	1.80	1	0.00	0.01	0.06	4
C20-351	93.50	95.40	1.90	1	0.00	0.02	0.03	3
C20-351	95.40	97.20	1.80	2	0.00	0.03	0.06	6
C20-351	97.20	99.10	1.90	1	0.01	0.02	0.03	4
C20-351	99.10	100.90	1.80	2	0.00	0.04	0.05	6
C20-351	100.90	102.80	1.90	2	0.00	0.02	0.04	5
C20-351	102.80	104.70	1.90	1	0.00	0.02	0.06	5
C20-351	104.70	105.50	0.80	2	0.01	0.01	0.03	4
C20-351	105.50	107.00	1.50	2	0.00	0.01	0.02	3
C20-351	107.00	109.00	2.00	1	0.00	0.02	0.04	4
C20-351	109.00	111.00	2.00	1	0.00	0.01	0.03	3
C20-351	111.00	113.00	2.00	1	0.00	0.01	0.05	3
C20-351	113.00	115.00	2.00	1	0.00	0.01	0.06	4
C20-351	115.00	117.00	2.00	1	0.00	0.01	0.03	3
C20-351	117.00	118.10	1.10	1	0.00	0.01	0.03	3
C20-351	118.10	119.20	1.10	1	0.00	0.01	0.04	3
C20-351	119.20	120.50	1.30	5	0.00	0.03	0.03	7
C20-351	120.50	121.90	1.40	8	0.00	0.02	0.04	10
C20-351	121.90	123.30	1.40	2	0.00	0.00	0.01	3
C20-351	123.30	124.00	0.70	2	0.00	0.02	0.10	7
C20-351	124.00	125.50	1.50	5	0.01	0.02	0.11	11
C20-351	125.50	126.60	1.10	4	0.01	0.05	0.12	11

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-351	126.60	127.60	1.00	6	0.01	0.01	0.01	8
C20-351	127.60	129.30	1.70	2	0.02	0.01	0.05	6
C20-351	129.30	131.00	1.70	2	0.00	0.01	0.07	5
C20-351	131.00	132.70	1.70	1	0.00	0.00	0.02	2
C20-351	132.70	134.40	1.70	2	0.00	0.01	0.03	3
C20-351	134.40	135.50	1.10	11	0.00	0.19	0.08	21
C20-351	135.50	136.70	1.20	8	0.00	0.11	0.07	16
C20-351	136.70	138.00	1.30	10	0.02	0.12	0.46	35
C20-351	138.00	138.40	0.40	35	0.04	0.52	3.08	184
C20-351	138.40	138.70	0.30	22	0.12	0.27	0.62	66
C20-351	138.70	139.00	0.30	37	0.04	0.88	1.13	118
C20-351	139.00	139.50	0.50	33	0.02	0.32	2.57	153
C20-351	139.50	139.80	0.30	5	0.01	0.04	0.25	17
C20-351	139.80	141.10	1.30	5	0.01	0.02	0.08	9
C20-351	141.10	142.40	1.30	3	0.00	0.03	0.05	7
C20-351	142.40	143.70	1.30	3	0.04	0.01	0.05	8
C20-351	143.70	144.00	0.30	153	0.09	1.59	4.14	388
C20-351	144.00	145.30	1.30	9	0.01	0.09	0.26	24
C20-351	145.30	146.70	1.40	3	0.00	0.04	0.10	8
C20-351	146.70	148.15	1.45	5	0.01	0.01	0.07	9
C20-351	148.15	148.75	0.60	3	0.01	0.02	0.14	10
C20-351	148.75	149.60	0.85	3	0.01	0.01	0.05	5
C20-351	149.60	150.20	0.60	1	0.00	0.00	0.04	2
C20-351	150.20	151.50	1.30	4	0.00	0.00	0.56	27
C20-351	151.50	152.00	0.50	7	0.01	0.00	0.90	45
C20-351	152.00	152.70	0.70	1	0.00	0.00	0.05	3
C20-351	152.70	154.00	1.30	2	0.01	0.01	0.03	4
C20-351	154.00	156.00	2.00	1	0.00	0.01	0.02	2
C20-351	156.00	158.00	2.00	1	0.00	0.00	0.02	2
C20-351	158.00	160.00	2.00	2	0.00	0.01	0.03	3
C20-351	160.00	162.00	2.00	2	0.00	0.01	0.04	4
C20-351	162.00	164.00	2.00	2	0.00	0.02	0.04	5
C20-351	164.00	166.00	2.00	1	0.00	0.01	0.03	2
C20-351	166.00	168.00	2.00	2	0.01	0.01	0.03	4
C20-351	168.00	169.65	1.65	9	0.03	0.16	0.19	25
C20-351	169.65	170.70	1.05	145	0.34	2.59	3.17	395
C20-351	170.70	171.60	0.90	65	0.06	1.18	1.78	186
C20-351	171.60	173.40	1.80	11	0.03	0.22	0.34	35
C20-351	173.40	174.90	1.50	32	0.08	0.57	0.89	95
C20-351	174.90	176.70	1.80	31	0.04	0.47	0.86	87
C20-351	176.70	178.50	1.80	24	0.03	0.38	0.52	61
C20-351	178.50	180.30	1.80	15	0.03	0.30	0.43	46
C20-351	180.30	182.10	1.80	5	0.02	0.10	0.18	17
C20-351	182.10	183.05	0.95	199	0.08	3.78	1.43	398
C20-351	183.05	183.35	0.30	291	0.13	5.76	0.78	537
C20-351	183.35	185.00	1.65	38	0.04	0.68	0.45	84
C20-351	185.00	187.00	2.00	3	0.01	0.05	0.08	9
C20-351	187.00	189.00	2.00	8	0.01	0.15	0.07	18
C20-351	189.00	191.00	2.00	17	0.02	0.34	0.31	44
C20-351	191.00	193.00	2.00	39	0.02	0.13	0.26	56
C20-351	193.00	195.00	2.00	6	0.01	0.11	0.18	18
C20-351	195.00	196.95	1.95	17	0.03	0.34	1.69	101
C20-351	196.95	197.30	0.35	387	0.21	7.75	13.15	1,222
C20-351	197.30	199.10	1.80	38	0.03	0.66	0.74	94
C20-351	199.10	201.00	1.90	3	0.01	0.05	0.10	10

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-351	201.00	202.90	1.90	2	0.01	0.03	0.11	8
C20-351	202.90	204.70	1.80	2	0.01	0.02	0.06	6
C20-351	204.70	206.60	1.90	8	0.02	0.13	0.23	24
C20-351	206.60	208.50	1.90	3	0.01	0.04	0.12	10
C20-351	208.50	210.40	1.90	17	0.04	0.32	0.39	48
C20-351	210.40	211.20	0.80	69	0.22	1.44	3.28	273
C20-351	211.20	212.60	1.40	4	0.01	0.07	0.17	14
C20-351	212.60	214.10	1.50	2	0.01	0.04	0.10	8
C20-351	214.10	215.55	1.45	9	0.02	0.14	0.57	38
C20-351	215.55	216.45	0.90	171	0.44	3.52	6.74	610
C20-351	216.45	217.80	1.35	3	0.02	0.04	0.03	7
C20-351	217.80	219.20	1.40	19	0.06	0.29	0.63	60
C20-351	219.20	220.50	1.30	2	0.01	0.01	0.14	9
C20-351	220.50	222.25	1.75	169	0.25	2.65	8.10	618
C20-351	222.25	223.80	1.55	11	0.02	0.20	0.27	31
C20-351	223.80	224.75	0.95	11	0.01	0.17	0.05	20
C20-351	224.75	225.50	0.75	741	0.32	11.15	6.27	1,420
C20-351	225.50	226.75	1.25	406	0.43	7.32	9.18	1,080
C20-351	226.75	228.30	1.55	6	0.04	0.06	0.41	28
C20-351	228.30	229.85	1.55	11	0.04	0.05	0.34	29
C20-351	229.85	230.90	1.05	22	0.02	0.25	2.81	149
C20-351	230.90	232.00	1.10	11	0.21	0.03	0.98	70
C20-351	232.00	234.00	2.00	10	0.16	0.03	2.26	117
C20-351	234.00	236.00	2.00	5	0.19	0.01	3.22	154
C20-351	236.00	238.00	2.00	3	0.16	0.00	3.93	179
C20-351	238.00	240.00	2.00	3	0.02	0.01	1.58	70
C20-351	240.00	242.00	2.00	3	0.01	0.03	1.75	77
C20-351	242.00	244.00	2.00	1	0.01	0.00	0.19	9
C20-351	244.00	246.00	2.00	1	0.01	0.00	1.66	71
C20-351	246.00	247.80	1.80	1	0.03	0.01	0.34	18
C20-351	247.80	248.70	0.90	8	0.00	0.12	0.43	30
C20-351	248.70	249.60	0.90	2	0.00	0.01	0.58	26
C20-351	249.60	251.60	2.00	4	0.03	0.01	1.66	75
C20-351	251.60	253.60	2.00	3	0.02	0.03	1.36	63
C20-351	253.60	255.60	2.00	11	0.39	0.03	0.27	55
C20-351	255.60	256.90	1.30	9	0.01	0.19	0.32	29
C20-351	256.90	258.30	1.40	15	0.01	0.25	0.97	65
C20-351	258.30	259.55	1.25	34	0.01	0.44	5.57	281
C20-351	259.55	260.10	0.55	24	0.01	0.73	3.87	210
C20-351	260.10	261.60	1.50	7	0.00	0.18	0.50	34
C20-351	261.60	263.20	1.60	3	0.00	0.02	0.10	7
C20-351	263.20	264.80	1.60	3	0.00	0.02	0.08	7
C20-351	264.80	266.40	1.60	3	0.00	0.02	0.04	5
C20-351	266.40	268.10	1.70	2	0.00	0.04	0.15	10
C20-351	268.10	269.80	1.70	11	0.00	0.14	1.52	79
C20-351	269.80	271.50	1.70	11	0.00	0.21	1.47	79
C20-351	271.50	273.20	1.70	7	0.00	0.24	0.44	34
C20-351	273.20	274.90	1.70	9	0.01	0.07	0.68	40
C20-351	274.90	276.70	1.80	17	0.01	0.23	2.15	114
C20-351	276.70	278.10	1.40	18	0.14	0.20	0.52	58
C20-351	278.10	279.60	1.50	8	0.07	0.16	0.39	35
C20-351	279.60	281.05	1.45	5	0.06	0.10	0.26	24
C20-351	281.05	282.90	1.85	3	0.03	0.04	0.30	19
C20-351	282.90	284.90	2.00	7	0.02	0.29	0.84	54
C20-351	284.90	286.30	1.40	1	0.03	0.02	0.08	7

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-351	286.30	287.90	1.60	2	0.04	0.03	0.12	11
C20-351	287.90	289.65	1.75	7	0.06	0.02	0.26	24
C20-351	289.65	291.50	1.85	2	0.01	0.06	0.03	5
C20-351	291.50	293.40	1.90	2	0.01	0.07	0.17	12
C20-351	293.40	294.90	1.50	4	0.01	0.06	0.69	35
C20-351	294.90	296.20	1.30	5	0.02	0.07	0.77	41
C20-351	296.20	297.50	1.30	7	0.02	0.10	1.49	73
C20-351	297.50	298.85	1.35	6	0.02	0.18	0.31	26
C20-351	298.85	299.25	0.40	22	0.01	0.54	3.83	201
C20-351	299.25	300.70	1.45	9	0.02	0.24	1.44	79
C20-351	300.70	302.10	1.40	10	0.04	0.25	1.55	86
C20-351	302.10	303.60	1.50	6	0.03	0.14	0.84	48
C20-351	303.60	305.20	1.60	22	0.02	0.32	3.76	191
C20-351	305.20	306.80	1.60	22	0.03	0.53	4.96	249
C20-351	306.80	307.15	0.35	6	0.03	0.16	0.41	31
C20-351	307.15	309.10	1.95	20	0.03	0.35	3.67	187
C20-351	309.10	311.10	2.00	42	0.02	0.44	6.60	332
C20-351	311.10	312.90	1.80	26	0.02	0.56	1.59	113
C20-351	312.90	314.10	1.20	35	0.03	0.34	1.43	109
C20-351	314.10	316.00	1.90	38	0.06	0.14	0.39	64
C20-351	316.00	317.90	1.90	16	0.03	0.08	0.25	32
C20-351	317.90	319.20	1.30	16	0.02	0.03	0.04	20
C20-352	1.50	3.40	1.90	1	0.00	0.00	0.02	2
C20-352	3.40	5.30	1.90	1	0.00	0.00	0.02	2
C20-352	5.30	7.25	1.95	1	0.00	0.00	0.02	3
C20-352	7.25	9.10	1.85	1	0.00	0.00	0.03	3
C20-352	9.10	11.00	1.90	1	0.01	0.00	0.02	3
C20-352	11.00	12.95	1.95	3	0.00	0.00	0.07	6
C20-352	12.95	14.90	1.95	1	0.00	0.00	0.01	2
C20-352	14.90	16.90	2.00	1	0.00	0.00	0.01	2
C20-352	16.90	18.90	2.00	1	0.00	0.00	0.01	1
C20-352	18.90	20.90	2.00	1	0.00	0.01	0.03	3
C20-352	20.90	22.90	2.00	2	0.01	0.01	0.06	5
C20-352	22.90	24.90	2.00	1	0.00	0.01	0.05	4
C20-352	24.90	26.90	2.00	1	0.00	0.00	0.03	3
C20-352	26.90	28.00	1.10	2	0.00	0.01	0.03	3
C20-352	28.00	29.25	1.25	2	0.00	0.03	0.08	7
C20-352	29.25	30.60	1.35	2	0.00	0.01	0.07	5
C20-352	30.60	32.10	1.50	1	0.00	0.00	0.07	4
C20-352	32.10	32.65	0.55	0	0.00	0.00	0.02	1
C20-352	32.65	34.50	1.85	1	0.00	0.00	0.02	2
C20-352	34.50	36.50	2.00	1	0.00	0.01	0.05	4
C20-352	36.50	38.40	1.90	1	0.00	0.00	0.02	2
C20-352	38.40	40.35	1.95	1	0.01	0.01	0.02	3
C20-352	40.35	41.25	0.90	2	0.00	0.00	0.02	3
C20-352	41.25	42.60	1.35	2	0.00	0.01	0.09	6
C20-352	42.60	44.00	1.40	1	0.00	0.03	0.10	7
C20-352	44.00	45.50	1.50	1	0.01	0.01	0.05	4
C20-352	45.50	46.50	1.00	1	0.01	0.01	0.03	3
C20-352	46.50	47.60	1.10	0	0.00	0.00	0.01	1
C20-352	47.60	49.00	1.40	1	0.00	0.01	0.03	3
C20-352	49.00	50.55	1.55	1	0.00	0.01	0.02	2
C20-352	50.55	51.25	0.70	1	0.00	0.02	0.07	5
C20-352	51.25	53.00	1.75	1	0.01	0.01	0.09	6

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-352	53.00	55.00	2.00	1	0.00	0.00	0.03	2
C20-352	55.00	57.00	2.00	1	0.01	0.02	0.11	6
C20-352	57.00	59.00	2.00	1	0.01	0.02	0.07	6
C20-352	59.00	61.00	2.00	1	0.00	0.03	0.13	8
C20-352	61.00	63.00	2.00	1	0.02	0.02	0.11	8
C20-352	63.00	65.00	2.00	1	0.00	0.03	0.11	7
C20-352	65.00	67.00	2.00	2	0.01	0.05	0.11	9
C20-352	67.00	69.00	2.00	1	0.00	0.02	0.03	3
C20-352	69.00	70.90	1.90	9	0.03	0.13	0.24	26
C20-352	70.90	71.90	1.00	7	0.01	0.08	0.51	31
C20-352	71.90	73.20	1.30	2	0.00	0.01	0.08	6
C20-352	73.20	75.00	1.80	1	0.01	0.03	0.04	4
C20-352	75.00	77.00	2.00	1	0.00	0.01	0.01	2
C20-352	77.00	79.00	2.00	0	0.01	0.00	0.00	1
C20-352	79.00	81.00	2.00	0	0.01	0.00	0.00	1
C20-352	81.00	83.00	2.00	1	0.02	0.00	0.01	2
C20-352	83.00	84.55	1.55	0	0.00	0.00	0.00	1
C20-352	84.55	86.00	1.45	3	0.00	0.03	0.12	9
C20-352	86.00	87.50	1.50	1	0.00	0.00	0.01	1
C20-352	87.50	88.80	1.30	3	0.01	0.03	0.19	12
C20-352	88.80	89.40	0.60	5	0.01	0.02	0.08	10
C20-352	89.40	90.80	1.40	0	0.00	0.00	0.00	0
C20-352	90.80	91.60	0.80	7	0.01	0.08	0.46	29
C20-352	91.60	92.30	0.70	14	0.01	0.21	0.93	61
C20-352	92.30	93.90	1.60	2	0.01	0.07	0.07	8
C20-352	93.90	95.50	1.60	1	0.00	0.02	0.02	2
C20-352	95.50	97.10	1.60	4	0.01	0.16	0.32	23
C20-352	97.10	98.70	1.60	16	0.01	0.46	1.39	90
C20-352	98.70	100.10	1.40	8	0.01	0.11	0.74	44
C20-352	100.10	101.50	1.40	2	0.01	0.04	0.16	10
C20-352	101.50	103.00	1.50	7	0.01	0.09	0.75	42
C20-352	103.00	104.20	1.20	8	0.01	0.04	0.36	25
C20-352	104.20	105.30	1.10	3	0.06	0.11	0.24	22
C20-352	105.30	106.20	0.90	1	0.02	0.05	0.07	8
C20-352	106.20	107.70	1.50	2	0.01	0.03	0.07	6
C20-352	107.70	109.20	1.50	1	0.01	0.04	0.07	6
C20-352	109.20	110.70	1.50	4	0.01	0.06	0.11	11
C20-352	110.70	111.10	0.40	8	0.01	0.09	0.35	26
C20-352	111.10	112.90	1.80	5	0.01	0.09	0.38	24
C20-352	112.90	114.10	1.20	5	0.01	0.08	0.37	23
C20-352	114.10	115.80	1.70	3	0.07	0.06	0.18	19
C20-352	115.80	117.50	1.70	2	0.03	0.02	0.03	6
C20-352	117.50	119.30	1.80	1	0.02	0.03	0.11	8
C20-352	119.30	120.80	1.50	1	0.02	0.04	0.04	6
C20-352	120.80	122.40	1.60	1	0.02	0.01	0.01	3
C20-352	122.40	122.80	0.40	0	0.02	0.00	0.01	2
C20-352	122.80	123.30	0.50	12	0.10	0.53	0.68	67
C20-352	123.30	123.60	0.30	72	0.25	2.31	3.74	329
C20-352	123.60	124.60	1.00	126	0.25	3.76	5.79	519
C20-352	124.60	125.20	0.60	2	0.01	0.01	0.22	12
C20-352	125.20	126.45	1.25	7	0.04	0.14	0.13	20
C20-352	126.45	128.35	1.90	8	0.09	0.21	0.72	53
C20-352	128.35	129.10	0.75	46	0.21	1.44	2.37	211
C20-352	129.10	129.85	0.75	13	0.10	0.31	0.29	44
C20-352	129.85	130.15	0.30	59	0.28	1.35	3.43	271

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-352	130.15	131.70	1.55	6	0.03	0.09	0.41	28
C20-352	131.70	133.20	1.50	1	0.02	0.01	0.05	4
C20-352	133.20	134.80	1.60	2	0.01	0.04	0.20	13
C20-352	134.80	136.40	1.60	2	0.01	0.04	0.26	14
C20-352	136.40	136.70	0.30	1	0.02	0.04	0.10	7
C20-352	136.70	138.20	1.50	1	0.01	0.03	0.07	6
C20-352	138.20	139.70	1.50	6	0.01	0.14	0.33	25
C20-352	139.70	141.30	1.60	1	0.01	0.01	0.03	4
C20-352	141.30	143.00	1.70	1	0.01	0.00	0.01	2
C20-352	143.00	144.90	1.90	1	0.01	0.00	0.01	2
C20-352	144.90	146.80	1.90	4	0.01	0.06	0.03	8
C20-352	146.80	148.70	1.90	2	0.01	0.03	0.10	8
C20-352	148.70	150.70	2.00	1	0.01	0.01	0.01	2
C20-352	150.70	151.80	1.10	0	0.02	0.00	0.00	2
C20-352	151.80	153.30	1.50	1	0.01	0.03	0.04	5
C20-352	153.30	153.80	0.50	67	0.05	1.90	0.73	168
C20-352	153.80	155.10	1.30	28	0.12	0.97	1.65	140
C20-352	155.10	155.90	0.80	11	0.05	0.37	0.73	59
C20-352	155.90	156.35	0.45	56	0.45	1.63	1.35	206
C20-352	156.35	158.00	1.65	3	0.02	0.06	0.15	13
C20-352	158.00	159.70	1.70	1	0.00	0.02	0.03	3
C20-352	159.70	161.50	1.80	7	0.01	0.13	0.27	23
C20-352	161.50	163.30	1.80	2	0.00	0.03	0.25	14
C20-352	163.30	165.20	1.90	1	0.01	0.01	0.01	2
C20-352	165.20	167.10	1.90	2	0.01	0.04	0.05	7
C20-352	167.10	168.90	1.80	1	0.01	0.01	0.01	3
C20-352	168.90	170.80	1.90	1	0.01	0.03	0.05	5
C20-352	170.80	172.70	1.90	3	0.01	0.07	0.10	10
C20-352	172.70	174.00	1.30	1	0.01	0.01	0.01	2
C20-352	174.00	176.00	2.00	1	0.00	0.01	0.03	2
C20-352	176.00	178.00	2.00	1	0.00	0.01	0.03	2
C20-352	178.00	180.00	2.00	1	0.00	0.00	0.01	1
C20-352	180.00	182.00	2.00	1	0.01	0.05	0.01	3
C20-352	182.00	184.00	2.00	1	0.00	0.01	0.01	2
C20-352	184.00	186.00	2.00	1	0.01	0.00	0.02	2
C20-352	186.00	188.00	2.00	1	0.01	0.00	0.03	3
C20-352	188.00	189.00	1.00	2	0.01	0.14	0.01	8
C20-352	189.00	190.70	1.70	2	0.01	0.06	0.02	6
C20-352	190.70	192.10	1.40	34	0.07	0.64	0.80	95
C20-352	192.10	192.55	0.45	29	0.06	0.44	0.25	60
C20-352	192.55	192.85	0.30	18	0.12	0.27	0.45	56
C20-352	192.85	194.60	1.75	4	0.02	0.07	0.10	12
C20-352	194.60	196.50	1.90	6	0.03	0.13	0.16	20
C20-352	196.50	198.10	1.60	50	0.08	0.98	1.17	139
C20-352	198.10	198.75	0.65	103	0.09	2.19	2.73	301
C20-352	198.75	200.50	1.75	95	0.28	1.75	1.85	256
C20-352	200.50	202.40	1.90	51	0.18	0.99	1.52	163
C20-352	202.40	204.05	1.65	1	0.01	0.02	0.03	4
C20-352	204.05	206.00	1.95	75	0.31	1.50	1.85	230
C20-352	206.00	208.00	2.00	9	0.09	0.15	0.21	30
C20-352	208.00	210.00	2.00	4	0.01	0.11	0.09	13
C20-352	210.00	212.00	2.00	4	0.01	0.09	0.18	15
C20-352	212.00	213.35	1.35	2	0.01	0.04	0.13	9
C20-352	213.35	214.00	0.65	86	0.09	1.49	1.29	199
C20-352	214.00	214.55	0.55	32	0.11	0.50	0.90	96

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-352	214.55	215.15	0.60	8	0.02	0.16	0.09	19
C20-352	215.15	215.60	0.45	190	0.10	4.60	10.90	813
C20-352	215.60	217.20	1.60	1	0.01	0.02	0.03	4
C20-352	217.20	218.90	1.70	1	0.01	0.02	0.06	4
C20-352	218.90	220.60	1.70	2	0.02	0.06	0.06	8
C20-352	220.60	222.30	1.70	0	0.01	0.02	0.03	3
C20-352	222.30	222.70	0.40	57	0.02	2.62	2.75	266
C20-352	222.70	223.50	0.80	8	0.01	0.36	0.43	39
C20-352	223.50	223.95	0.45	81	0.03	2.70	2.94	300
C20-352	223.95	225.90	1.95	0	0.00	0.02	0.02	2
C20-352	225.90	226.90	1.00	16	0.01	0.73	0.77	75
C20-352	226.90	228.20	1.30	98	0.15	2.92	3.99	379
C20-352	228.20	228.60	0.40	318	0.21	7.22	12.20	1,095
C20-352	228.60	229.00	0.40	154	0.32	4.08	6.27	584
C20-352	229.00	230.90	1.90	113	1.04	1.03	4.89	437
C20-352	230.90	231.45	0.55	166	0.24	0.99	10.30	648
C20-352	231.45	231.95	0.50	133	0.17	0.86	2.37	276
C20-352	231.95	232.35	0.40	180	0.15	1.80	7.73	576
C20-352	232.35	234.25	1.90	91	0.27	0.59	1.55	198
C20-352	234.25	235.10	0.85	143	0.22	1.17	2.48	305
C20-352	235.10	235.90	0.80	55	0.13	0.73	0.92	130
C20-352	235.90	237.30	1.40	3	0.02	0.03	0.05	8
C20-352	237.30	238.75	1.45	1	0.01	0.00	0.01	2
C20-352	238.75	239.85	1.10	29	0.16	0.18	0.19	56
C20-352	239.85	240.60	0.75	11	0.09	0.06	0.18	27
C20-352	240.60	241.45	0.85	4	0.02	0.02	0.03	7
C20-352	241.45	242.35	0.90	1	0.01	0.00	0.01	2
C20-352	242.35	243.25	0.90	16	0.19	0.06	0.05	36
C20-352	243.25	244.65	1.40	5	0.04	0.02	0.02	9
C20-352	244.65	245.95	1.30	9	0.07	0.03	0.03	17
C20-352	245.95	247.00	1.05	2	0.01	0.01	0.04	5
C20-352	247.00	249.00	2.00	4	0.02	0.02	0.04	8
C20-352	249.00	251.00	2.00	3	0.01	0.01	0.02	4
C20-352	251.00	253.00	2.00	3	0.01	0.01	0.02	5
C20-352	253.00	255.00	2.00	11	0.09	0.05	0.05	22
C20-352	255.00	257.00	2.00	1	0.00	0.00	0.03	2
C20-352	257.00	259.00	2.00	1	0.01	0.01	0.01	3
C20-352	259.00	261.00	2.00	0	0.00	0.00	0.00	1
C20-352	261.00	263.00	2.00	0	0.00	0.00	0.01	1
C20-352	263.00	265.00	2.00	1	0.00	0.01	0.03	2
C20-352	265.00	267.00	2.00	0	0.00	0.00	0.00	1
C20-352	267.00	269.00	2.00	0	0.00	0.00	0.01	1
C20-352	269.00	271.00	2.00	0	0.00	0.00	0.04	2
C20-352	271.00	273.00	2.00	0	0.00	0.01	0.02	1
C20-352	273.00	274.45	1.45	0	0.00	0.01	0.01	1
C20-352	274.45	274.85	0.40	11	0.06	0.06	0.11	22
C20-352	274.85	276.40	1.55	1	0.01	0.01	0.09	6
C20-352	276.40	278.10	1.70	0	0.00	0.01	0.04	2
C20-352	278.10	278.45	0.35	1	0.02	0.02	0.02	4
C20-352	278.45	279.80	1.35	0	0.01	0.00	0.00	1
C20-352	279.80	280.15	0.35	2	0.00	0.01	0.02	3
C20-352	280.15	281.50	1.35	1	0.01	0.01	0.02	3
C20-352	281.50	283.00	1.50	10	0.03	0.06	0.08	18
C20-352	283.00	285.00	2.00	8	0.01	0.03	0.01	11
C20-352	285.00	286.40	1.40	13	0.03	0.06	0.06	20

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-352	286.40	287.80	1.40	15	0.03	0.05	0.07	22
C20-352	287.80	289.30	1.50	16	0.01	0.16	0.13	28
C20-352	289.30	290.90	1.60	8	0.01	0.04	0.04	12
C20-352	290.90	292.50	1.60	2	0.00	0.03	0.02	4
C20-352	292.50	294.10	1.60	2	0.00	0.04	0.03	5
C20-352	294.10	296.00	1.90	64	0.47	0.31	0.42	131
C20-352	296.00	297.40	1.40	13	0.05	0.18	0.27	35
C20-352	297.40	298.80	1.40	51	0.13	0.19	0.21	76
C20-352	298.80	300.60	1.80	1	0.01	0.01	0.02	2
C20-352	300.60	302.50	1.90	2	0.00	0.03	0.06	5
C20-352	302.50	304.40	1.90	9	0.01	0.12	0.59	38
C20-352	304.40	306.20	1.80	5	0.03	0.03	0.29	21
C20-352	306.20	308.00	1.80	2	0.00	0.02	0.08	6
C20-352	308.00	309.80	1.80	1	0.00	0.01	0.01	2
C20-352	309.80	311.60	1.80	1	0.00	0.02	0.04	4
C20-352	311.60	313.30	1.70	8	0.03	0.16	0.28	28
C20-352	313.30	315.10	1.80	1	0.00	0.01	0.01	2
C20-352	315.10	316.90	1.80	0	0.00	0.00	0.01	1
C20-352	316.90	318.70	1.80	173	0.02	0.03	0.03	177
C20-352	318.70	319.25	0.55	34	0.04	0.98	0.94	111
C20-352	319.25	319.60	0.35	12	0.09	0.28	0.26	40
C20-352	319.60	320.70	1.10	37	0.06	1.03	1.20	127
C20-352	320.70	321.80	1.10	76	0.09	1.72	3.34	282
C20-352	321.80	322.90	1.10	15	0.03	0.33	0.55	51
C20-352	322.90	324.00	1.10	4	0.03	0.02	0.03	8
C20-352	324.00	325.35	1.35	14	0.01	0.15	1.38	78
C20-352	325.35	326.00	0.65	2	0.01	0.02	0.05	5
C20-352	326.00	327.90	1.90	9	0.01	0.13	1.11	60
C20-352	327.90	328.75	0.85	75	0.06	1.02	3.32	253
C20-352	328.75	329.50	0.75	50	0.02	0.80	2.43	181
C20-352	329.50	330.20	0.70	7	0.09	0.05	0.49	37
C20-352	330.20	330.95	0.75	9	0.01	0.14	1.40	73
C20-352	330.95	331.40	0.45	3	0.05	0.01	0.28	18
C20-352	331.40	333.00	1.60	8	0.01	0.04	1.33	66
C20-352	333.00	334.40	1.40	1	0.00	0.02	0.07	5
C20-352	334.40	335.75	1.35	3	0.01	0.03	0.14	11
C20-352	335.75	336.70	0.95	7	0.01	0.09	0.18	19
C20-352	336.70	337.80	1.10	8	0.01	0.19	0.26	27
C20-352	337.80	338.50	0.70	4	0.01	0.10	0.15	15
C20-352	338.50	340.00	1.50	2	0.00	0.10	0.11	10
C20-352	340.00	342.00	2.00	2	0.00	0.06	0.12	10
C20-352	342.00	344.00	2.00	7	0.01	0.14	0.45	31
C20-352	344.00	346.00	2.00	1	0.06	0.03	0.07	10
C20-352	346.00	348.00	2.00	2	0.00	0.06	0.18	12
C20-352	348.00	350.00	2.00	1	0.01	0.04	0.09	7
C20-352	350.00	352.00	2.00	2	0.01	0.04	0.08	7
C20-352	352.00	353.00	1.00	4	0.01	0.18	0.22	20
C20-352	353.00	354.50	1.50	4	0.01	0.12	0.13	14
C20-352	354.50	355.70	1.20	13	0.03	0.10	0.89	56
C20-352	355.70	356.30	0.60	69	0.07	2.29	4.06	323
C20-352	356.30	357.40	1.10	8	0.02	0.09	0.80	46
C20-352	357.40	359.20	1.80	8	0.02	0.23	0.48	37
C20-352	359.20	360.30	1.10	83	0.08	3.49	5.09	424
C20-352	360.30	360.60	0.30	115	0.55	1.17	3.65	352
C20-352	360.60	361.60	1.00	161	0.13	4.99	7.44	656

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-352	361.60	362.80	1.20	40	0.05	1.22	1.42	146
C20-352	362.80	364.00	1.20	23	0.03	0.83	0.76	86
C20-352	364.00	364.60	0.60	85	0.09	3.07	4.95	405
C20-352	364.60	366.50	1.90	4	0.01	0.13	0.23	19
C20-352	366.50	368.40	1.90	2	0.02	0.05	0.14	11
C20-352	368.40	370.40	2.00	2	0.01	0.03	0.09	8
C20-352	370.40	372.35	1.95	1	0.01	0.03	0.22	12
C20-354	0.00	3.00	3.00	1	0.00	0.00	0.01	1
C20-354	3.00	5.00	2.00	0	0.00	0.00	0.03	2
C20-354	5.00	7.00	2.00	0	0.00	0.00	0.02	2
C20-354	7.00	9.00	2.00	1	0.00	0.00	0.02	2
C20-354	9.00	11.00	2.00	0	0.00	0.00	0.01	1
C20-354	11.00	13.00	2.00	1	0.00	0.01	0.11	6
C20-354	13.00	14.60	1.60	3	0.00	0.01	0.13	8
C20-354	14.60	15.75	1.15	1	0.01	0.01	0.11	6
C20-354	15.75	17.40	1.65	0	0.01	0.00	0.06	3
C20-354	17.40	18.75	1.35	1	0.00	0.00	0.30	14
C20-354	18.75	20.75	2.00	1	0.00	0.00	0.09	5
C20-354	20.75	22.00	1.25	2	0.00	0.01	0.16	9
C20-354	22.00	24.00	2.00	1	0.00	0.01	0.10	6
C20-354	24.00	25.90	1.90	2	0.00	0.04	0.09	7
C20-354	25.90	27.55	1.65	4	0.01	0.00	0.17	12
C20-354	27.55	29.25	1.70	2	0.01	0.00	0.11	8
C20-354	29.25	30.60	1.35	1	0.02	0.02	0.10	8
C20-354	30.60	32.60	2.00	0	0.02	0.00	0.09	6
C20-354	32.60	34.60	2.00	0	0.00	0.01	0.03	2
C20-354	34.60	36.60	2.00	0	0.00	0.00	0.07	3
C20-354	36.60	38.60	2.00	0	0.00	0.00	0.03	2
C20-354	38.60	40.60	2.00	1	0.00	0.00	0.07	4
C20-354	40.60	42.60	2.00	2	0.01	0.00	0.11	7
C20-354	42.60	44.60	2.00	2	0.00	0.01	0.11	7
C20-354	44.60	45.90	1.30	1	0.00	0.00	0.08	4
C20-354	45.90	47.90	2.00	0	0.00	0.00	0.04	2
C20-354	47.90	49.90	2.00	1	0.00	0.01	0.07	5
C20-354	49.90	51.10	1.20	1	0.01	0.01	0.06	5
C20-354	51.10	53.10	2.00	1	0.01	0.00	0.05	4
C20-354	53.10	55.10	2.00	1	0.00	0.00	0.05	3
C20-354	55.10	57.10	2.00	0	0.00	0.00	0.03	2
C20-354	57.10	59.10	2.00	0	0.01	0.00	0.01	2
C20-354	59.10	61.10	2.00	0	0.00	0.00	0.01	1
C20-354	61.10	63.10	2.00	2	0.00	0.01	0.08	6
C20-354	63.10	64.30	1.20	5	0.01	0.04	0.13	12
C20-354	64.30	65.60	1.30	3	0.01	0.05	0.28	17
C20-354	65.60	66.25	0.65	3	0.00	0.01	0.19	11
C20-354	66.25	68.25	2.00	2	0.01	0.01	0.06	6
C20-354	68.25	70.25	2.00	2	0.01	0.01	0.06	5
C20-354	70.25	72.10	1.85	1	0.01	0.00	0.06	5
C20-354	72.10	73.80	1.70	5	0.01	0.01	0.08	9
C20-354	73.80	74.60	0.80	0	0.00	0.05	0.10	6
C20-354	74.60	76.30	1.70	3	0.01	0.17	0.13	14
C20-354	76.30	78.30	2.00	3	0.01	0.10	0.43	24
C20-354	78.30	80.30	2.00	5	0.01	0.02	0.21	15
C20-354	80.30	81.60	1.30	1	0.01	0.00	0.07	4
C20-354	81.60	83.40	1.80	2	0.02	0.02	0.07	6

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-354	83.40	84.00	0.60	4	0.01	0.04	0.25	17
C20-354	84.00	86.00	2.00	1	0.02	0.01	0.04	4
C20-354	86.00	88.00	2.00	3	0.01	0.03	0.19	13
C20-354	88.00	90.00	2.00	1	0.01	0.01	0.09	5
C20-354	90.00	92.00	2.00	5	0.01	0.06	0.38	23
C20-354	92.00	93.50	1.50	6	0.01	0.06	0.14	14
C20-354	93.50	95.50	2.00	3	0.02	0.03	0.13	11
C20-354	95.50	97.50	2.00	2	0.03	0.02	0.10	10
C20-354	97.50	98.30	0.80	2	0.07	0.02	0.06	11
C20-354	98.30	100.30	2.00	0	0.02	0.01	0.02	3
C20-354	100.30	101.75	1.45	1	0.01	0.01	0.03	4
C20-354	101.75	102.25	0.50	3	0.05	0.04	0.07	11
C20-354	102.25	104.25	2.00	1	0.01	0.01	0.08	5
C20-354	104.25	106.25	2.00	2	0.00	0.01	0.05	5
C20-354	106.25	108.25	2.00	1	0.01	0.01	0.03	3
C20-354	108.25	108.75	0.50	1	0.03	0.01	0.09	7
C20-354	108.75	109.10	0.35	7	0.01	0.06	0.72	40
C20-354	109.10	111.10	2.00	1	0.02	0.00	0.02	3
C20-354	111.10	113.10	2.00	1	0.02	0.01	0.02	4
C20-354	113.10	115.10	2.00	3	0.02	0.04	0.08	9
C20-354	115.10	115.65	0.55	7	0.04	0.13	0.51	36
C20-354	115.65	116.30	0.65	5	0.04	0.12	0.41	30
C20-354	116.30	117.25	0.95	48	0.06	0.83	2.83	200
C20-354	117.25	118.00	0.75	50	0.06	0.92	2.53	192
C20-354	118.00	119.45	1.45	34	0.02	0.41	2.24	143
C20-354	119.45	120.35	0.90	5	0.00	0.04	0.19	14
C20-354	120.35	121.20	0.85	21	0.10	0.31	1.46	100
C20-354	121.20	123.20	2.00	2	0.02	0.03	0.07	8
C20-354	123.20	124.30	1.10	2	0.00	0.02	0.06	5
C20-354	124.30	125.20	0.90	43	0.00	0.53	1.78	136
C20-354	125.20	126.75	1.55	14	0.00	0.14	0.47	38
C20-354	126.75	127.75	1.00	13	0.00	0.05	0.72	44
C20-354	127.75	129.75	2.00	3	0.00	0.01	0.21	13
C20-354	129.75	131.25	1.50	19	0.00	0.12	1.62	90
C20-354	131.25	135.25	4.00	Void				
C20-354	135.25	137.25	2.00	12	0.00	0.04	0.72	43
C20-354	137.25	139.25	2.00	24	0.01	0.13	2.20	120
C20-354	139.25	139.70	0.45	36	0.00	0.36	1.90	128
C20-354	139.70	141.50	1.80	14	0.00	0.25	0.44	40
C20-354	141.50	143.50	2.00	4	0.00	0.04	0.17	13
C20-354	143.50	145.00	1.50	8	0.01	0.08	0.43	29
C20-354	145.00	145.80	0.80	1	0.00	0.00	0.03	2
C20-354	145.80	146.95	1.15	6	0.01	0.04	0.56	32
C20-354	146.95	148.95	2.00	4	0.01	0.10	0.04	10
C20-354	148.95	150.95	2.00	1	0.00	0.01	0.03	3
C20-354	150.95	152.50	1.55	1	0.00	0.01	0.02	2
C20-354	152.50	153.20	0.70	30	0.01	0.21	2.95	161
C20-354	153.20	155.20	2.00	1	0.00	0.00	0.03	2
C20-354	155.20	157.20	2.00	1	0.00	0.00	0.01	2
C20-354	157.20	159.20	2.00	1	0.00	0.01	0.01	2
C20-354	159.20	161.20	2.00	1	0.00	0.02	0.12	7
C20-354	161.20	163.20	2.00	4	0.00	0.02	0.27	16
C20-354	163.20	165.20	2.00	1	0.01	0.01	0.02	3
C20-354	165.20	167.20	2.00	1	0.00	0.00	0.03	2
C20-354	167.20	169.20	2.00	1	0.00	0.00	0.02	2

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-354	169.20	171.20	2.00	1	0.00	0.01	0.04	3
C20-354	171.20	171.90	0.70	1	0.00	0.00	0.02	2
C20-354	171.90	173.90	2.00	1	0.00	0.01	0.03	3
C20-354	173.90	175.90	2.00	1	0.01	0.01	0.03	3
C20-354	175.90	177.90	2.00	1	0.01	0.01	0.04	3
C20-354	177.90	179.90	2.00	1	0.01	0.00	0.01	2
C20-354	179.90	180.30	0.40	2	0.06	0.00	0.01	7
C20-354	180.30	182.30	2.00	0	0.01	0.01	0.03	2
C20-354	182.30	182.90	0.60	13	0.02	0.38	1.14	74
C20-354	182.90	183.45	0.55	11	0.01	0.28	0.86	57
C20-354	183.45	185.45	2.00	1	0.03	0.01	0.08	8
C20-354	185.45	185.75	0.30	4	0.01	0.11	0.51	30
C20-354	185.75	187.75	2.00	1	0.02	0.02	0.09	7
C20-354	187.75	189.75	2.00	2	0.01	0.02	0.10	7
C20-354	189.75	191.75	2.00	1	0.00	0.01	0.05	3
C20-354	191.75	193.75	2.00	1	0.00	0.01	0.04	3
C20-354	193.75	195.75	2.00	1	0.00	0.01	0.03	2
C20-354	195.75	196.65	0.90	0	0.01	0.01	0.01	2
C20-354	196.65	197.50	0.85	25	0.08	0.48	8.80	413
C20-354	197.50	198.15	0.65	4	0.01	0.12	0.58	33
C20-354	198.15	198.90	0.75	3	0.02	0.08	0.42	24
C20-354	198.90	199.50	0.60	7	0.02	0.19	0.69	44
C20-354	199.50	201.50	2.00	4	0.01	0.14	0.49	29
C20-354	201.50	201.85	0.35	9	0.01	0.26	1.33	74
C20-354	201.85	202.20	0.35	25	0.03	0.51	3.55	192
C20-354	202.20	204.20	2.00	1	0.02	0.03	0.05	6
C20-354	204.20	206.20	2.00	1	0.01	0.02	0.05	4
C20-354	206.20	208.20	2.00	1	0.00	0.01	0.06	4
C20-354	208.20	210.20	2.00	0	0.00	0.02	0.05	3
C20-354	210.20	212.20	2.00	1	0.00	0.01	0.05	3
C20-354	212.20	214.20	2.00	0	0.00	0.00	0.03	2
C20-354	214.20	216.20	2.00	1	0.00	0.00	0.01	1
C20-354	216.20	218.20	2.00	1	0.00	0.00	0.02	2
C20-354	218.20	220.20	2.00	1	0.00	0.02	0.06	4
C20-354	220.20	222.20	2.00	1	0.00	0.01	0.05	4
C20-354	222.20	224.20	2.00	1	0.00	0.01	0.04	3
C20-354	224.20	224.80	0.60	1	0.00	0.01	0.03	2
C20-354	224.80	225.15	0.35	13	0.01	0.41	1.16	76
C20-354	225.15	225.85	0.70	2	0.00	0.07	0.16	11
C20-354	225.85	226.50	0.65	8	0.00	0.22	1.54	80
C20-354	226.50	227.55	1.05	5	0.00	0.09	0.17	16
C20-354	227.55	227.95	0.40	13	0.00	0.22	0.55	43
C20-354	227.95	229.95	2.00	6	0.00	0.23	0.20	23
C20-354	229.95	231.95	2.00	1	0.00	0.00	0.02	2
C20-354	231.95	233.95	2.00	1	0.00	0.01	0.05	3
C20-354	233.95	235.35	1.40	1	0.00	0.01	0.07	4
C20-354	235.35	235.80	0.45	4	0.01	0.06	0.17	14
C20-354	235.80	236.50	0.70	0	0.00	0.04	0.10	6
C20-354	236.50	236.90	0.40	7	0.00	0.15	0.53	34
C20-354	236.90	237.70	0.80	1	0.00	0.01	0.04	3
C20-354	237.70	239.05	1.35	3	0.01	0.06	0.17	13
C20-354	239.05	239.85	0.80	1	0.00	0.03	0.06	5
C20-354	239.85	240.35	0.50	8	0.01	0.16	0.84	49
C20-354	240.35	242.35	2.00	2	0.01	0.06	0.07	7
C20-354	242.35	244.35	2.00	1	0.01	0.01	0.03	3

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-354	244.35	246.35	2.00	1	0.00	0.01	0.03	2
C20-354	246.35	248.35	2.00	2	0.00	0.03	0.23	13
C20-354	248.35	250.35	2.00	1	0.00	0.01	0.06	4
C20-354	250.35	252.35	2.00	1	0.00	0.01	0.03	3
C20-354	252.35	254.35	2.00	0	0.01	0.00	0.02	2
C20-354	254.35	256.35	2.00	0	0.00	0.01	0.02	2
C20-354	256.35	258.10	1.75	0	0.00	0.00	0.01	1
C20-354	258.10	258.95	0.85	0	0.00	0.00	0.01	1
C20-354	258.95	259.95	1.00	0	0.00	0.00	0.01	1
C20-354	259.95	260.50	0.55	3	0.01	0.09	0.23	17
C20-354	260.50	262.50	2.00	0	0.00	0.00	0.01	1
C20-354	262.50	263.10	0.60	3	0.01	0.02	0.01	4
C20-354	263.10	263.50	0.40	9	0.00	0.20	0.82	50
C20-354	263.50	265.50	2.00	4	0.00	0.08	0.27	18
C20-354	265.50	267.50	2.00	3	0.00	0.05	0.09	9
C20-354	267.50	268.00	0.50	1	0.00	0.00	0.02	2
C20-354	268.00	268.60	0.60	1	0.01	0.01	0.05	4
C20-354	268.60	269.90	1.30	2	0.01	0.03	0.15	10
C20-354	269.90	270.30	0.40	5	0.01	0.08	0.52	30
C20-354	270.30	271.20	0.90	1	0.01	0.01	0.10	7
C20-354	271.20	271.50	0.30	5	0.01	0.14	0.83	45
C20-354	271.50	271.80	0.30	1	0.00	0.01	0.03	2
C20-354	271.80	272.80	1.00	1	0.00	0.01	0.03	2
C20-354	272.80	274.80	2.00	1	0.00	0.02	0.14	7
C20-354	274.80	276.20	1.40	1	0.00	0.02	0.12	7
C20-354	276.20	277.70	1.50	2	0.01	0.05	0.18	12
C20-354	277.70	278.15	0.45	6	0.01	0.18	0.60	37
C20-354	278.15	279.35	1.20	2	0.01	0.06	0.15	11
C20-354	279.35	280.50	1.15	3	0.01	0.02	0.09	7
C20-354	280.50	281.30	0.80	3	0.03	0.08	0.32	22
C20-354	281.30	283.30	2.00	1	0.01	0.01	0.06	4
C20-354	283.30	283.80	0.50	1	0.01	0.02	0.02	3
C20-354	283.80	284.10	0.30	34	0.39	1.51	0.45	138
C20-354	284.10	285.30	1.20	267	0.24	5.91	5.59	727
C20-354	285.30	286.30	1.00	4	0.01	0.14	0.22	19
C20-354	286.30	288.30	2.00	2	0.01	0.04	0.08	8
C20-354	288.30	289.70	1.40	1	0.00	0.01	0.08	5
C20-354	289.70	290.00	0.30	9	0.01	0.29	0.27	31
C20-354	290.00	292.00	2.00	4	0.01	0.14	0.10	13
C20-354	292.00	294.00	2.00	1	0.00	0.00	0.01	1
C20-354	294.00	294.30	0.30	1	0.00	0.00	0.03	2
C20-354	294.30	296.30	2.00	1	0.00	0.02	0.08	5
C20-354	296.30	297.65	1.35	1	0.00	0.01	0.11	6
C20-354	297.65	298.30	0.65	138	0.10	3.50	3.56	418
C20-354	298.30	300.30	2.00	1	0.00	0.01	0.06	4
C20-354	300.30	301.65	1.35	1	0.00	0.00	0.03	2
C20-354	301.65	302.50	0.85	4	0.01	0.03	0.10	11
C20-354	302.50	304.50	2.00	1	0.01	0.00	0.06	4
C20-354	304.50	306.50	2.00	3	0.01	0.06	0.08	9
C20-354	306.50	308.50	2.00	0	0.00	0.00	0.03	2
C20-354	308.50	310.50	2.00	0	0.00	0.00	0.02	1
C20-354	310.50	311.15	0.65	1	0.01	0.00	0.01	2
C20-354	311.15	312.20	1.05	18	0.29	0.15	0.17	54
C20-354	312.20	314.20	2.00	5	0.12	0.04	0.05	17
C20-354	314.20	314.75	0.55	2	0.02	0.05	0.04	7

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-354	314.75	315.40	0.65	63	0.21	1.33	1.81	202
C20-354	315.40	316.40	1.00	36	0.11	0.81	0.84	108
C20-354	316.40	317.40	1.00	80	0.23	1.76	1.94	240
C20-354	317.40	319.20	1.80	46	0.24	0.97	1.20	149
C20-354	319.20	320.45	1.25	21	0.24	0.68	0.51	86
C20-354	320.45	320.80	0.35	5	0.05	0.16	0.11	19
C20-354	320.80	321.90	1.10	20	0.11	0.55	0.53	71
C20-354	321.90	323.90	2.00	51	0.13	1.22	1.27	157
C20-354	323.90	325.10	1.20	61	0.14	1.11	1.20	161
C20-354	325.10	326.80	1.70	56	0.14	1.14	1.21	157
C20-354	326.80	327.25	0.45	45	0.20	1.22	1.31	159
C20-354	327.25	327.60	0.35	62	0.27	1.76	1.34	201
C20-354	327.60	327.90	0.30	28	0.13	0.80	0.97	107
C20-354	327.90	328.70	0.80	32	0.13	0.94	0.95	115
C20-354	328.70	330.20	1.50	3	0.01	0.14	0.13	15
C20-354	330.20	330.90	0.70	2	0.00	0.04	0.10	8
C20-354	330.90	331.20	0.30	4	0.01	0.36	0.26	28
C20-354	331.20	332.35	1.15	2	0.00	0.15	0.22	17
C20-354	332.35	334.00	1.65	7	0.01	0.19	0.20	22
C20-354	334.00	336.00	2.00	0	0.00	0.03	0.11	6
C20-354	336.00	338.00	2.00	0	0.01	0.01	0.05	3
C20-354	338.00	340.00	2.00	1	0.00	0.05	0.12	8
C20-354	340.00	342.00	2.00	2	0.00	0.03	0.12	8
C20-354	342.00	344.00	2.00	2	0.01	0.05	0.15	11
C20-354	344.00	345.60	1.60	1	0.00	0.08	0.15	10
C20-354	345.60	346.10	0.50	0	0.00	0.05	0.11	7
C20-354	346.10	347.00	0.90	2	0.01	0.04	0.09	8
C20-354	347.00	347.30	0.30	3	0.02	0.12	0.08	11
C20-354	347.30	347.90	0.60	8	0.03	0.18	0.28	28
C20-354	347.90	348.60	0.70	14	0.02	0.69	0.36	55
C20-354	348.60	349.00	0.40	4	0.01	0.09	0.14	13
C20-354	349.00	350.05	1.05	3	0.01	0.13	0.12	13
C20-354	350.05	352.00	1.95	1	0.00	0.10	0.11	9
C20-354	352.00	354.00	2.00	0	0.00	0.08	0.12	8
C20-354	354.00	356.00	2.00	0	0.00	0.02	0.06	3
C20-354	356.00	357.65	1.65	11	0.01	0.21	0.08	22
C20-354	357.65	358.15	0.50	115	0.10	2.95	7.40	534
C20-354	358.15	358.55	0.40	14	0.05	0.38	0.23	42
C20-354	358.55	358.95	0.40	3	0.01	0.06	0.04	8
C20-354	358.95	360.20	1.25	12	0.02	0.08	0.13	21
C20-354	360.20	362.10	1.90	6	0.05	0.08	0.10	16
C20-354	362.10	364.00	1.90	3	0.00	0.11	0.19	15
C20-354	364.00	365.35	1.35	5	0.00	0.09	0.15	15
C20-354	365.35	366.00	0.65	29	0.02	0.84	1.30	114
C20-354	366.00	366.70	0.70	4	0.00	0.16	0.13	15
C20-354	366.70	367.85	1.15	7	0.00	0.18	0.16	20
C20-354	367.85	369.85	2.00	11	0.01	0.29	0.27	33
C20-354	369.85	370.90	1.05	7	0.00	0.18	0.37	29
C20-354	370.90	372.90	2.00	1	0.00	0.03	0.11	7
C20-354	372.90	374.90	2.00	0	0.00	0.01	0.07	4
C20-354	374.90	375.95	1.05	0	0.00	0.01	0.03	2
C20-354	375.95	376.35	0.40	28	0.02	0.63	0.13	56
C20-354	376.35	377.05	0.70	440	0.39	10.20	7.84	1,156
C20-354	377.05	378.10	1.05	18	0.01	0.50	0.44	54
C20-354	378.10	379.60	1.50	12	0.01	0.26	0.27	33

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-354	379.60	380.10	0.50	60	0.02	1.16	2.12	190
C20-354	380.10	381.10	1.00	433	0.23	9.27	22.90	1,729
C20-354	381.10	381.90	0.80	28	0.02	0.57	1.15	98
C20-354	381.90	382.50	0.60	126	0.17	2.27	9.06	596
C20-354	382.50	382.90	0.40	22	0.05	0.49	1.36	99
C20-354	382.90	384.90	2.00	1	0.00	0.03	0.11	6
C20-354	384.90	386.00	1.10	1	0.00	0.01	0.10	5
C20-354	386.00	386.50	0.50	3	0.00	0.14	0.26	19
C20-354	386.50	387.20	0.70	2	0.00	0.12	0.12	11
C20-354	387.20	387.85	0.65	21	0.01	0.55	0.93	79
C20-354	387.85	388.50	0.65	8	0.02	0.23	0.37	33
C20-354	388.50	389.55	1.05	3	0.01	0.07	0.11	11
C20-354	389.55	390.25	0.70	2	0.01	0.07	0.18	13
C20-354	390.25	392.15	1.90	0	0.00	0.01	0.14	7
C20-354	392.15	392.70	0.55	0	0.00	0.05	0.27	13
C20-354	392.70	393.35	0.65	0	0.00	0.02	0.16	8
C20-354	393.35	394.30	0.95	1	0.00	0.02	0.13	7
C20-354	394.30	395.30	1.00	1	0.00	0.03	0.12	8
C20-354	395.30	396.30	1.00	1	0.00	0.01	0.22	10
C20-354	396.30	396.60	0.30	1	0.01	0.02	0.08	5
C20-354	396.60	398.15	1.55	1	0.00	0.01	0.09	5
C20-354	398.15	399.25	1.10	7	0.01	0.19	1.38	71
C20-354	399.25	400.40	1.15	1	0.00	0.04	0.20	11
C20-354	400.40	401.00	0.60	0	0.00	0.02	0.07	4
C20-354	401.00	402.80	1.80	1	0.00	0.03	0.06	4
C20-354	402.80	403.75	0.95	2	0.00	0.04	0.38	20
C20-354	403.75	405.75	2.00	3	0.00	0.10	0.13	12
C20-354	405.75	406.05	0.30	32	0.02	0.56	1.12	99
C20-354	406.05	406.35	0.30	17	0.02	0.25	1.64	95
C20-354	406.35	406.65	0.30	288	0.15	5.92	11.85	1,000
C20-354	406.65	406.95	0.30	89	0.24	2.04	0.33	195
C20-354	406.95	408.45	1.50	8	0.02	0.25	0.33	32
C20-354	408.45	409.35	0.90	2	0.00	0.03	0.22	12
C20-354	409.35	411.35	2.00	1	0.00	0.01	0.09	5
C20-354	411.35	412.70	1.35	1	0.00	0.01	0.09	5
C20-354	412.70	413.00	0.30	47	0.02	1.08	0.93	125
C20-354	413.00	415.00	2.00	2	0.00	0.04	0.21	12
C20-354	415.00	417.00	2.00	1	0.00	0.03	0.20	11
C20-354	417.00	419.00	2.00	2	0.00	0.02	0.09	6
C20-354	419.00	419.55	0.55	0	0.00	0.01	0.07	4
C20-354	419.55	420.10	0.55	3	0.00	0.11	0.20	16
C20-354	420.10	421.00	0.90	37	0.01	1.29	1.89	161
C20-354	421.00	421.70	0.70	43	0.01	1.33	1.07	135
C20-354	421.70	422.20	0.50	12	0.01	0.45	0.83	63
C20-354	422.20	423.30	1.10	1	0.00	0.04	0.15	9
C20-354	423.30	425.30	2.00	1	0.00	0.03	0.16	9
C20-354	425.30	427.30	2.00	1	0.01	0.03	0.13	8
C20-354	427.30	427.70	0.40	10	0.01	0.30	0.23	31
C20-354	427.70	428.05	0.35	7	0.01	0.06	1.01	51
C20-354	428.05	430.00	1.95	2	0.01	0.08	0.13	10
C20-354	430.00	431.10	1.10	48	0.01	1.44	2.39	199
C20-354	431.10	433.00	1.90	3	0.01	0.06	0.10	9
C20-354	433.00	434.50	1.50	1	0.00	0.03	0.12	7
C20-354	434.50	435.00	0.50	4	0.00	0.10	0.70	36
C20-354	435.00	435.50	0.50	3	0.03	0.10	0.39	25

Complete Assay Results For Cordero Project : Drill Holes C20-349, C20-351, C20-352 & C20-354

**Metal Prices used for AgEq calculation: \$16.50/oz Ag, \$1,350/oz Au, \$0.85/lb Pb, \$1.00/lb Zn*

HoleID	From	To	Interval (m)	Ag g/t	Au g/t	Pb %	Zn %	AgEq g/t
C20-354	435.50	437.50	2.00	2	0.00	0.11	0.11	10
C20-354	437.50	437.85	0.35	2	0.00	0.08	0.07	8
C20-354	437.85	439.85	2.00	1	0.01	0.03	0.06	5
C20-354	439.85	440.90	1.05	2	0.02	0.04	0.07	8
C20-354	440.90	442.55	1.65	1	0.00	0.03	0.06	4
C20-354	442.55	443.90	1.35	4	0.01	0.07	0.11	11
C20-354	443.90	445.90	2.00	1	0.01	0.03	0.11	7
C20-354	445.90	446.45	0.55	4	0.01	0.10	0.56	31
C20-354	446.45	446.85	0.40	8	0.01	0.17	0.65	41
C20-354	446.85	447.90	1.05	0	0.01	0.01	0.08	5
C20-354	447.90	449.50	1.60	2	0.01	0.02	0.09	7
C20-354	449.50	450.60	1.10	1	0.00	0.04	0.06	5
C20-354	450.60	451.00	0.40	2	0.01	0.02	0.11	8
C20-354	451.00	453.00	2.00	1	0.01	0.01	0.04	3
C20-354	453.00	454.95	1.95	0	0.01	0.01	0.07	4
C20-354	454.95	456.95	2.00	1	0.01	0.03	0.12	8
C20-354	456.95	458.35	1.40	2	0.01	0.04	0.09	7
C20-354	458.35	460.30	1.95	2	0.02	0.02	0.08	8
C20-354	460.30	461.95	1.65	1	0.01	0.01	0.05	4
C20-354	461.95	463.10	1.15	1	0.01	0.01	0.06	4
C20-354	463.10	465.10	2.00	1	0.01	0.02	0.06	5
C20-354	465.10	465.40	0.30	7	0.08	0.32	0.62	51
C20-354	465.40	466.10	0.70	1	0.01	0.01	0.04	3
C20-354	466.10	468.10	2.00	0	0.01	0.00	0.06	3
C20-354	468.10	469.00	0.90	1	0.01	0.02	0.07	5
C20-354	469.00	469.65	0.65	2	0.01	0.03	0.16	10
C20-354	469.65	471.40	1.75	0	0.01	0.00	0.06	3
C20-354	471.40	473.30	1.90	0	0.01	0.01	0.04	3
C20-354	473.30	475.20	1.90	1	0.01	0.02	0.16	9
C20-354	475.20	477.05	1.85	2	0.01	0.04	0.24	14
C20-354	477.05	477.70	0.65	3	0.00	0.03	0.15	10
C20-354	477.70	479.35	1.65	0	0.01	0.00	0.02	2
C20-354	479.35	480.65	1.30	0	0.00	0.00	0.01	1
C20-354	480.65	482.00	1.35	1	0.01	0.00	0.04	3
C20-354	482.00	483.20	1.20	5	0.09	0.11	0.18	23
C20-354	483.20	485.20	2.00	1	0.01	0.00	0.04	3
C20-354	485.20	486.95	1.75	1	0.01	0.01	0.03	2
C20-354	486.95	487.95	1.00	0	0.01	0.00	0.03	2
C20-354	487.95	489.00	1.05	0	0.00	0.00	0.03	2
C20-354	489.00	491.00	2.00	0	0.00	0.00	0.02	1
C20-354	491.00	492.45	1.45	0	0.01	0.00	0.02	2
C20-354	492.45	494.45	2.00	0	0.00	0.00	0.02	1
C20-354	494.45	496.40	1.95	0	0.01	0.00	0.03	2
C20-354	496.40	498.40	2.00	0	0.00	0.00	0.01	1
C20-354	498.40	500.35	1.95	0	0.00	0.00	0.01	1